
http://www.tutorialspoint.com

Copyright © tutorialspoint.com

This section presents you various set of Mock Tests related to **AngularJS Framework**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



## Q 1 - Child controller inherits the scope of its parent controller.

- A true
- B false

### Q 2 - Which of the following is true about AngularJS service?

- A Services are JavaScript functions.
- B Services are responsible to do specific tasks only
- C Inbuilt services are always prefixed with \$ symbol.
- D All of the above.

#### Q 3 - Using service method, we define a service and then assign method to it.

- A true
- B false

#### Q 4 - Using factory method, we first define a factory and then assign method to it.

- A false
- B true

# Q 5 - factory method is used to define a factory which can later be used to create services as and when required.

A - true

| B - false  |
|--|
| Q 6 - service method is used to create a service whose purpose is to do some defined task. |
| A - true   |
| B - false  |
| Q 7 - Which components can be injected as a dependency in AngularJS?                       |
| A - value  |
| B - factory  |
| C - service  |
| D - All of the above.  |
| Q 8 - Which components can be injected as a dependency in AngularJS?                       |
| A - Application Module   |
| B - constant   |
| C - value  |
| D - factory  |
| Q 9 - Which of the following is true about provider?                                       |
| A - provider is used by AngularJS internally to create services, factory etc.              |
| B - provider is used during config phase.  |
| C - provider is a special factory method.  |
| D - All of the above.  |
| Q 10 - config phase is the phase during which AngularJS bootstraps itself.                 |
| A - true   |
| B - false  |
| Q 11 - constants are used to pass values at config phase.                                  |
| A - true   |
| B - false  |
| Q 12 - Is AngularJS extensible?  |
| A - false  |

| <b>Q 13 - Custom directives are used in AngularJS to extend the functionality of HTML.</b> A - true B - false |
|---|
| Q 14 - Custom directives are defined using "directive" function.  |
| A - true  |
| B - false   |
| Q 15 - On which of the following types of component can we create a custom directive?                         |
| A - Element directives  |
| B - Attribute   |
| C - CSS   |
| D - All of the above.   |
| Q 16 - AngularJS supports inbuilt internationalization for three types of filters currency, date and numbers. |
| A - true  |
| B - false   |
| Q 17 - Scope act as glue between controller and view.   |
| A - true  |
| B - false   |
| Q 18 - Services are singleton objects which are instantiated only once in app.                                |
| A - false   |
| B - true  |
| <b>Q 19 - Filters select a subset of items from an array and return a new array.</b> A - true B - false       |
| Q 20 - Templates are the rendered view with information from the controller and model.                        |

| A - true   |                 |  |  |  |
|--|-----------------|--|--|--|
| B - false  |                 |  |  |  |
|  |                 |  |  |  |
| Q 21 - Templates can be a single file likeindex. html or multiple views in one page. |                 |  |  |  |
| A - true   |                 |  |  |  |
| B - false  |                 |  |  |  |
|  |                 |  |  |  |
| Q 22 - AngularJS apincluding Android   |                 | n run on all major browsers and smart phones phones/tablets. |  |  |
| A - true   |                 |  |  |  |
| B - false  |                 |  |  |  |
|  |                 |  |  |  |
| Q 23 - AngularJS uses dependency injection and make use of separation of concerns.   |                 |  |  |  |
| A - false  |                 |  |  |  |
| B - true   |                 |  |  |  |
| C -  |                 |  |  |  |
| D -  |                 |  |  |  |
|  |                 |  |  |  |
| Q 24 - AngularJS prand maintainable v  |                 | lity to create Single Page Application in a very clean       |  |  |
| A - true   |                 |  |  |  |
| B - false  |                 |  |  |  |
|  |                 |  |  |  |
| Q 25 - With Angula   | ırJS, developer | writes less code and gets more functionality.                |  |  |
| A - false  |                 |  |  |  |
| B - true   |                 |  |  |  |
|  |                 | ANSWER SHEET   |  |  |
|  |                 |  |  |  |
| <b>Question Number</b>   | Answer Key      |  |  |  |
| 1  | Α               |  |  |  |
| 2  | D               |  |  |  |
| 3  | Α               |  |  |  |
| 4  | В               |  |  |  |
| 5  | Α               |  |  |  |
| 6  | Δ               |  |  |  |

| 7                  | D                      |
|--------------------|------------------------|
| 8                  | Α                      |
| 9                  | D                      |
| 10                 | Α                      |
| 11                 | Α                      |
| 12                 | В                      |
| 13                 | Α                      |
| 14                 | Α                      |
| 15                 | D                      |
| 16                 | А                      |
| 17                 | Α                      |
| 18                 | В                      |
| 19                 | Α                      |
| 20                 | А                      |
| 21                 | Α                      |
| 22                 | Α                      |
| 23                 | В                      |
| 24                 | А                      |
| 25                 | В                      |
| Loading [Mathlax]/ | iax/output/HTML-CSS/ia |

Loading [MathJax]/jax/output/HTML-CSS/jax.js